

# Fact Sheet



## *For Final Renewal Permitting Action Under 45CSR30 and Title V of the Clean Air Act*

Permit Number: R30-01300002-2006  
Plant Identification Number: 01300002  
Permittee: Dominion Transmission, Inc  
Facility Name: Orma Compressor Station  
Mailing Address: 445 West Main Street  
Clarksburg, WV 26301

---

Application Received: January 7, 2002

---

Physical Location: Crooked Run Road, Orma, West Virginia 25268  
UTM Coordinates: 492.68 km Easting • 4288.86 km Northing • Zone 17  
Directions: From intersection of Rt. 33/Rt. 119 West & Rt. 16 South at Arnoldsburg take Rt. 16 South 4.7 miles to Orma, turn left onto Euclid/Nicut Road and travel 1.0 mile, turn left onto Crooked Run Road and go 0.1 mile, station is on left.

---

### **Facility Description**

Orma Compressor Station is a natural gas transmission facility covered by Standard Industrial Classification (SIC) Code 4922. The station has the potential to operate seven (7) days per week, twenty-four (24) hours per day. The station consists of two (2) 660 HP natural gas fired reciprocating engines, one (1) dehydrator reboiler, one (1) dehydration unit with flare, and eight (8) storage tanks of various sizes.

## Emissions Summary

Plantwide Emissions Summary [Tons per Year]		
Criteria Pollutants	Potential Emissions	2004 Actual Emissions
Carbon Monoxide (CO)	38.544	15.49
Nitrogen Oxides (NO <sub>x</sub> )	258.42	104.23
Particulate Matter (PM <sub>10</sub> )	0.5256	0.11
Total Particulate Matter (TSP)	1.05	0.22
Sulfur Dioxide (SO <sub>2</sub> )	0.0315	0.01
Volatile Organic Compounds (VOC)	113.76	36.06
<i>PM<sub>10</sub> is a component of TSP.</i>		
Hazardous Air Pollutants	Potential Emissions	2004 Actual Emissions
Total HAPs*	6.03	4.61

*Some of the above HAPs may be counted as PM or VOCs.*

\* HAPs are not speciated because no applicability was triggered.

## Title V Program Applicability Basis

This facility has the potential to emit 258.42 tons of NO<sub>x</sub> and 113.76 tons of VOC. Due to this facility's potential to emit over 100 tons per year of criteria pollutant, Dominion Transmission, Inc is required to have an operating permit pursuant to Title V of the Federal Clean Air Act as amended and 45CSR30.

## Legal and Factual Basis for Permit Conditions

The State and Federally-enforceable conditions of the Title V Operating Permits are based upon the requirements of the State of West Virginia Operating Permit Rule 45CSR30 for the purposes of Title V of the Federal Clean Air Act and the underlying applicable requirements in other state and federal rules.

This facility has been found to be subject to the following applicable rules:

Federal and State:	45CSR2	Opacity Requirements for boilers
	45CSR6	Open burning prohibited.
	45CSR10	Sulfur requirements for fuel burned
	45CSR11	Standby plans for emergency episodes.
	45CSR13	New Source Construction
	45CSR17	Control fugitive particulate matter
	WV Code § 22-5-4 (a) (14)	The Secretary can request any pertinent information such as annual emission inventory reporting.
	45CSR30	Operating permit requirement.
	40 C.F.R. Part 61	Asbestos inspection and removal
State Only:	40 C.F.R. Part 82, Subpart F	Ozone depleting substances
	45CSR4	No objectionable odors.

Each State and Federally-enforceable condition of the draft Title V Operating Permit references the specific relevant requirements of 45CSR30 or the applicable requirement upon which it is based. Any condition of the draft Title V permit that is enforceable by the State but is not Federally-enforceable is identified in the draft Title V permit as such.

The Secretary's authority to require standards under 40 C.F.R. Part 60 (NSPS), 40 C.F.R. Part 61 (NESHAPs), and 40 C.F.R. Part 63 (NESHAPs MACT) is provided in West Virginia Code §§ 22-5-1 *et seq.*, 45CSR16, 45CSR15, 45CSR34 and 45CSR30.

### Active Permits/Consent Orders

Permit or Consent Order Number	Date of Issuance	Permit Determinations or Amendments That Affect the Permit ( <i>if any</i> )
N/A		

Conditions from this facility's Rule 13 permit(s) governing construction-related specifications and timing requirements will not be included in the Title V Operating Permit but will remain independently enforceable under the applicable Rule 13 permit(s). All other conditions from this facility's Rule 13 permit(s) governing the source's operation and compliance have been incorporated into this Title V permit in accordance with the "General Requirement Comparison Table B" which may be downloaded from DAQ's website.

### Determinations and Justifications

Since the last modification of the existing permit, additional MRR (Monitoring, recordkeeping and reporting) has been added regarding the glycol dehydration system.

Calculations of SO<sub>2</sub> emissions using the FERC limit for total sulfur of 20 grains/100ft<sup>3</sup> along with stoichiometric conversions from grains of total sulfur/100 ft<sup>3</sup> in the fuel to dry standard cubic feet of SO<sub>2</sub> per MMBtu and equation 19-1 of EPA Method 19 indicate that emissions from the engines are only a small fraction (<5%) of the 2000 ppm<sub>v</sub> limit established by 45 CSR 10.

Calculations of particulate matter emissions using AP-42 factors for Natural Gas Combustion and Soot Formation at Flares (Sections 1.4-3 and 13.5-1, respectively) indicate that emissions from the flare are only a small fraction (<10%) of the mass limit established by 45CSR6. As a result of this finding and due to the nature of this control device, the visual emissions performance tests as per Section 5.2.2 of the permit may be used as an indicator of compliance with 45CSR6 requirements and shall be sufficient for compliance certification purposes.

According to 45 CSR §2-11, RBR01 is exempt from MRR (Monitoring, recordkeeping and reporting) requirements because RBR01's heat input is less than ten (10) million B.T.U.'s per hour.

### Non-Applicability Determinations

The following requirements have been determined not to be applicable to the subject facility due to the following:

40 CFR 64 - Engines do not have any control; Glycol Dehydration unit is not a major source of HAPs. Therefore, in accordance with 40 C.F.R § 64.2(a), CAM is not applicable to this facility.

40 C.F.R § 60.18 – Flare is used only to control the odor. Even without flare the facility is not a major source of HAPs. Therefore, 40 C.F.R § 60.18 is not applicable.

### **Request for Variances or Alternatives**

None

### **Insignificant Activities**

Insignificant emission unit(s) and activities are identified in the Title V application.

### **Comment Period**

Beginning Date: March 30, 2006  
Ending Date: May 1, 2006

All written comments should be addressed to the following individual and office:

U.K.Bachhawat  
Title V Permit Writer  
West Virginia Department of Environmental Protection  
Division of Air Quality  
601 57<sup>th</sup> Street SE  
Charleston, WV 25304

### **Procedure for Requesting Public Hearing**

During the public comment period, any interested person may submit written comments on the draft permit and may request a public hearing, if no public hearing has already been scheduled. A request for public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing. The Secretary shall grant such a request for a hearing if he/she concludes that a public hearing is appropriate. Any public hearing shall be held in the general area in which the facility is located.

### **Point of Contact**

U.K.Bachhawat  
West Virginia Department of Environmental Protection  
Division of Air Quality  
601 57<sup>th</sup> Street SE  
Charleston, WV 25304  
Phone: 304/926-0499 ext. 1256 • Fax: 304/926-0478

### **Response to Comments (Statement of Basis)**

1. Since the draft was issued WVDAQ has determined that 45CSR10 is not applicable to natural gas fired engines. In Sections 3.1.9 and 3.1.10 reference to the engines has been taken out and Sections 3.2.1 and 3.2.3 in the draft permit have been eliminated.
2. The company made an official comment to change the following which is reflected in the final permit :  
Change part of Section 5.2.1 from  
“In order to demonstrate compliance with the minor source status claimed within 5.1.5 the permittee shall use GRI-GLYCalc V3 or higher to estimate emissions from the dehydration system. The dehydration system must be accurately defined by monitoring and recording actual operating parameters associated with the dehydration system. These parameters shall be measured to coincide with the testing required by 5.3.1 of this permit. The WV Division of Air Quality requires the following actual operating parameters be measured in order to satisfy this monitoring requirement when using the Gas Analysis and Process Data, GLYCalc emission modeling method”  
To

“In order to demonstrate compliance with the minor source status claimed within 5.1.5, the permittee shall use GRI-GLYCalc V4 or higher to estimate emissions from the dehydration system. The dehydration system must be accurately defined by actual operating parameters. The WV Division of Air Quality recommends the following actual operating parameters be measured to correspond with the testing and reporting requirements of 5.3.1 when using the Gas Analysis and Process Data, GLYCalc emission modeling method”

This aligns wording with that previously established in other permits issued by WVDAQ.

3. In response to company's comment, in Section 5.3.1 the testing period allowed before the next permit renewal was changed from 1 year to 2 years. With the application due 6 months prior to expiration and 60 days completeness review required, one year testing time period allowed only 4 months for testing and reporting of the sampling results.